





# 3C Rotary Feeder

## Technical Data



Subject to modifications.

	3C 1000	3C 1100	3C 1300	3C 1400	3C 1500	3C 1800
<b>Size MRS</b>	MRS70	MRS90	MRS110	MRS130	MRS160	MRS200
<b>Screw diameter Ø mm</b>	70	90	110	130	160	200
<b>Drive rating screw kW</b>	110	170	235	355	445	740
<b>Drive rating 3C kW</b>	55	90	132	160	200	315
<b>Extrusion height H mm</b>	1,150	1,150	1,300	1,300	1,450	1,450
<b>with vacuum conveyor</b>						
<b>Length L mm</b>	1,850	2,150	2,750	2,850	3,100	3,350
<b>Width B mm</b>	1,450	1,550	1,700	1,750	1,900	2,250
<b>Height H mm</b>	2,600	2,750	2,900	3,000	3,100	3,250
<b>Weight approx. kg</b>	2,700	3,000	5,000	5,500	6,500	9,500
<b>with conveyor belt and shredder</b>						
<b>Length L mm</b>	7,300	7,350	7,450	7,500	7,550	7,700
<b>Width B mm</b>	6,100	6,150	6,250	6,300	6,350	6,500
<b>Height H mm</b>	3,100	3,250	3,400	3,500	3,600	3,800
<b>Weight approx. kg</b>	3,900	4,200	6,200	6,700	7,700	10,700

\* As each machine is engineered to a specific project, the technical data may deviate from the values listed in this table. Detailed information on the relevant technical data is provided to you with your quotation.